

CYU AUTO PARTS CO.,LTD.



CYU AUTO PARTS CO.,LTD.

瑞安橙谕汽配有限公司

www.cyuauto.com

RUIAN CYU AUTO PARTS CO.,LTD

Add: Tongpu Industrial Zone, Ruian, Zhejiang Chna

Whatsapp:+8618367777005 Wechat:15381551987

ATTN: Alex Chi Email: Sales@cyuauto.com M.B.:0086-18367777005



企业简介 >>> Brief Introduction

RUIAN CYU AUTO PARTS CO.,LTD is a global leading supplier in the field of automotive filtration systems, and is high-tech enterprise dedicated to provide technology-innovated and excellent qualified oil filter, fuel filter, air filter and cabin filter element for the global automotive industry, Headquartered in RUIAN city, TONGPU TWON with building area of 3000 square meters and employees of over 200, become one of largest scaled auto filter manufacturer in China.

CYU AUTO PARTS equipped with leading R&D, production and QC systems, advanced automatic production and testing equipment, and owns completed automatic paper folder, drying oven, punching machine, plate welding machine and laser machine etc.

Production capability can reach to 600K/month respectively. CHENGYU annually provides auto filter as the number of over 10M sets, and products are certificated by International quality management system and environmental safety standards such as ISO900/ISO14001, and are patented by nationality for many items.



Contents

USE FOR COMMINS —	01-06	USE FOR MACK —	36
USE FOR VOLVO —	07-09	USE FOR DAF —	37
USE FOR KOMATSU —	10-11	USE FOR DONALDSON -	38-40
USE FOR CAT —	12-18	USE FOR FORD —	41
USE FOR MANN —	19-23	USE FOR NEWHOLLAND	42
USE FOR PERKINS —	24-26	USE FOR JCB —	43
USE FOR SCANIA —	27-28	USE FOR LAND ROVER	44
USE FOR JOHNDEERE-	29-30	USE FOR BALDWIN —	45-46
USE FOR BENZ —	31-32	AIR DRYER —	47
USE FOR IVECO —	33-34	OTHER —	48-50
USE FOR PARK —	35	AUTO PARTS —	51





USE FOR CUMMINS

 Largest OD: Overall Height: Thread Size: OEM:LF125	 Largest OD: 94(mm) Overall Height:170(mm) Thread Size: M27X2 OEM:LF16015
 Largest OD: 101(mm) Overall Height:175(mm) Thread Size: M27X2 OEM:LF16352	 Largest OD: 91(mm) Overall Height:159(mm) Thread Size: OEM:LF17356
 Largest OD: 118(mm) Overall Height:300(mm) Thread Size: 2 1/4"-12 OEM:LF3000	 Largest OD: 118(mm) Overall Height:286(mm) Thread Size: 1 1/2"-12 OEM:LF3325
 Largest OD: 108(mm) Overall Height:164(mm) Thread Size: 1 1/8"-16 OEM:LF3664	 Largest OD: 120(mm) Overall Height:249(mm) Thread Size: 1 5/8"-12 OEM:LF3620
 Largest OD: 96(mm) Overall Height:57(mm) Thread Size: 3/4"-16 OEM:LF3778	 Largest OD: 137(mm) Overall Height:222(mm) Thread Size: M42X2 OEM:LF3843
 Largest OD: 138(mm) Overall Height:310(mm) Thread Size: M36X1.5 OEM:LF3883	 Largest OD: 137(mm) Overall Height:310(mm) Thread Size: 1 1/2"-16 OEM:LF3957

USE FOR CUMMINS

 Largest OD: 94(mm) Overall Height:176(mm) Thread Size: 1 1/8"-16 OEM:LF3970	 Largest OD: 94(mm) Overall Height:195(mm) Thread Size: OEM:LF16285
 Largest OD: 118(mm) Overall Height:360(mm) Thread Size: M95X2.5 OEM:LF9000	 Largest OD: 94(mm) Overall Height:210(mm) Thread Size: 1"-12 OEM:LF4054
 Largest OD: 118(mm) Overall Height:250(mm) Thread Size: 1 1/2"-12 OEM:LF670	 Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:LF667
 Largest OD: 118(mm) Overall Height:250(mm) Thread Size: 1 3/8"-16 OEM:LF777	 Largest OD: 136(mm) Overall Height:305(mm) Thread Size:1 1/2"-16 OEM:LF691A
 Largest OD: 118(mm) Overall Height:300(mm) Thread Size:2 1/4"-12 OEM:LF9009	 Largest OD: 118(mm) Overall Height:300(mm) Thread Size:M95 X 2.5 OEM:LF9031
 Largest OD: 118(mm) Overall Height:352(mm) Thread Size:M95X2.5 OEM:LF9070	 Largest OD: 118(mm) Overall Height:295(mm) Thread Size: M95X2.5 OEM:LF9080

USE FOR CUMMINS

	Largest OD: 97(mm) Overall Height:137(mm) Thread Size: 1"-14 OEM:FF105
	Largest OD: 94(mm) Overall Height:170(mm) Thread Size: 1"-14 OEM:FF185
	Largest OD: 82(mm) Overall Height:116(mm) Thread Size: M16X1.5 OEM:FF42000
	Largest OD: 102(mm) Overall Height:213(mm) Thread Size: M100X4 OEM:FF5706
	Largest OD: Overall Height: Thread Size: OEM:FF63009
	Largest OD: 108(mm) Overall Height:182(mm) Thread Size: 7/8-14 OEM:FF5019
	Largest OD: 77(mm) Overall Height:117(mm) Thread Size: M16X1.5 OEM:FF5052
	Largest OD: 77(mm) Overall Height:154(mm) Thread Size: M16X1.5 OEM:FF5135
	Largest OD: 94(mm) Overall Height:206(mm) Thread Size: 1-12 OEM:FF5207
	Largest OD: 94(mm) Overall Height:240(mm) Thread Size: 1-14 OEM:FF5319
	Largest OD: 94(mm) Overall Height:176(mm) Thread Size: 1-14 OEM:FF5320
	Largest OD: 94(mm) Overall Height:192(mm) Thread Size: M20X1.5 OEM:FF5421

USE FOR CUMMINS

	Largest OD: 94(mm) Overall Height:190(mm) Thread Size: M20X1.5 OEM:FF5485
	Largest OD: 94(mm) Overall Height:170(mm) Thread Size: 7/8"-14 OEM:FF5488
	Largest OD: Overall Height: Thread Size: OEM:FH21077
	Largest OD: 94(mm) Overall Height:251(mm) Thread Size: 1"-14 OEM:FS1000
	Largest OD: 94(mm) Overall Height:245(mm) Thread Size: 1"-14 OEM:FS1003
	Largest OD: 118(mm) Overall Height:313(mm) Thread Size: 1 1/4"-12 OEM:FS1006
	Largest OD: 94(mm) Overall Height:239(mm) Thread Size: 1"-14 OEM:FS1022
	Largest OD: 118(mm) Overall Height:294(mm) Thread Size:M85X2 OEM:FS1040
	Largest OD: 94(mm) Overall Height:201(mm) Thread Size:1"-14 OEM:FS1212
	Largest OD: 77(mm) Overall Height:180(mm) Thread Size:M16X1.5 OEM:FS1221
	Largest OD: 77(mm) Overall Height:115(mm) Thread Size:M16X1.5 OEM:FS1235
	Largest OD: 94(mm) Overall Height:175(mm) Thread Size: 1"-14 OEM:FS1242

USE FOR CUMMINS



Largest OD: 97(mm)
Overall Height:165(mm)
Thread Size: 13/16"-18

OEM:FS1280



Largest OD: 76(mm)
Overall Height:141(mm)
Thread Size: 3/4-16

OEM:FS19594



Largest OD: 94(mm)
Overall Height:202(mm)
Thread Size: 1"-14

OEM:FS19732



Largest OD: 94(mm)
Overall Height:140(mm)
Thread Size: 1-14

OEM:FS19735



Largest OD: 108(mm)
Overall Height:255(mm)
Thread Size:1-14

OEM:FS19789



Largest OD: 84(mm)
Overall Height:197(mm)
Thread Size:

OEM:FS19863



Largest OD: 118(mm)
Overall Height:205(mm)
Thread Size: 1"-14

OEM:FS19922



Largest OD:
Overall Height:
Thread Size:

OEM:FS19902



Largest OD:
Overall Height:
Thread Size:

OEM:FS19925



Largest OD: 108(mm)
Overall Height:172(mm)
Thread Size: 1-14

OEM:FS19930



Largest OD: 94(mm)
Overall Height:249(mm)
Thread Size: 1 1/8-16

OEM:FS20000



Largest OD:
Overall Height:
Thread Size:

OEM:FS36234

USE FOR CUMMINS



Largest OD: 108(mm)
Overall Height:200(mm)
Thread Size: 1-14

OEM:FS36247



Largest OD:
Overall Height:
Thread Size:

OEM:FS19662



Largest OD: 128(mm)
Overall Height:180(mm)
Thread Size: 1 1/4

OEM:HF6177



Largest OD: 100(mm)
Overall Height:154(mm)
Thread Size: 1 3/8-12

OEM:HF6554



Largest OD: 100(mm)
Overall Height:240(mm)
Thread Size: 1 3/8-12

OEM:HF6555



Largest OD: 122(mm)
Overall Height:295(mm)
Thread Size: 1 3/4-12

OEM:HF6585



Largest OD: 94(mm)
Overall Height:148(mm)
Thread Size: 1 1/2-16

OEM:HF6610



Largest OD: 129(mm)
Overall Height:171(mm)
Thread Size: 1 1/2-16

OEM:HF6710



Largest OD: 94(mm)
Overall Height:137(mm)
Thread Size:11/16"-16

OEM:WF2054



Largest OD: 94(mm)
Overall Height:105(mm)
Thread Size:11/16"-16

OEM:WF2073



Largest OD: 94(mm)
Overall Height:135(mm)
Thread Size:11/16"-16

OEM:WF2075



Largest OD: 94(mm)
Overall Height:145(mm)
Thread Size: M36X2

OEM:WF2126

USE FOR CUMMINS

 Largest OD: 94(mm) Overall Height:145(mm) Thread Size: 3/4-16 UNF-2B OEM:LF701	 Largest OD: 92(mm) Overall Height:176(mm) Thread Size: 1-12 OEM:LF216
 Largest OD: 92(mm) Overall Height:176(mm) Thread Size: 1-16 OEM:LF3349	 Largest OD: 106(mm) Overall Height:176(mm) Thread Size: 1-14 OEM:FS19532
 Largest OD: Overall Height: Thread Size: OEM:FS19657	 Largest OD: 93(mm) Overall Height:176(mm) Thread Size: 1-16 OEM:LF9028
 Largest OD: 70(mm) Overall Height:135(mm) Thread Size: OEM:FS19516	 Largest OD: 87(mm) Overall Height:209(mm) Thread Size: OEM:FS20009
 Largest OD: Overall Height: Thread Size: OEM:LF5421	 Largest OD:118(mm) Overall Height:297(mm) Thread Size:M 90 X 2-7H OEM:LF9050
 Largest OD:76(mm) Overall Height:86(mm) Thread Size:3/4-16 OEM:LF16011	 Largest OD: Overall Height: Thread Size: OEM:LF18000

USE FOR CUMMINS

 Largest OD:109(mm) Overall Height:269(mm) Thread Size:1-14 UN OEM:FF211	 Largest OD:94(mm) Overall Height:176(mm) Thread Size: M20 X 1.5-6H INT OEM:FF5612
 Largest OD:108(mm) Overall Height:264(mm) Thread Size:M32 × 1.5-6H INT OEM:FF5507	 Largest OD:93(mm) Overall Height:222(mm) Thread Size:1-14 UNS OEM:FS1015
 Largest OD:116(mm) Overall Height:313(mm) Thread Size:1 1/4-12 UNS OEM:FS1216	 Largest OD:93(mm) Overall Height:79(mm) Thread Size:1X14 OEM:FS1240
 Largest OD:76(mm) Overall Height:143(mm) Thread Size:M16 X 1.5-6H INT OEM:FS1251	 Largest OD:83(mm) Overall Height:135(mm) Thread Size: OEM:FS19530
 Largest OD:83(mm) Overall Height:154(mm) Thread Size: OEM:FS19531	 Largest OD:108(mm) Overall Height:155(mm) Thread Size:1-14 UNS 2B OEM:FS19532
 Largest OD:83(mm) Overall Height:136(mm) Thread Size: OEM:FS19811	 Largest OD:83(mm) Overall Height:154(mm) Thread Size: OEM:FS19832

USE FOR CUMMINS

 Largest OD:108(mm) Overall Height:216(mm) Thread Size:1-14 UNS OEM:FS19914	 Largest OD:110(mm) Overall Height:161(mm) Thread Size:1-14 UNS-2B OEM:FS19920
 Largest OD: Overall Height: Thread Size: OEM:FS19644	 Largest OD: Overall Height: Thread Size: OEM:FS20019
 Largest OD:118(mm) Overall Height:197(mm) Thread Size:90X2.0-7H MM OEM:HF29000	 Largest OD:93(mm) Overall Height:138(mm) Thread Size:13/16-16 UNS-2B OEM:LF678
 Largest OD:118(mm) Overall Height:205(mm) Thread Size:1 1/2-12 UNS-2B OEM:LF734	 Largest OD:76(mm) Overall Height:88(mm) Thread Size:3/4-16 UNF-2B OEM:LF3338
 Largest OD:93(mm) Overall Height:137(mm) Thread Size:1 1/8-16 UNF OEM:LF3342	 Largest OD:136(mm) Overall Height:169(mm) Thread Size:M60 X 3-6H INT OEM:LF3343
 Largest OD:93(mm) Overall Height:138(mm) Thread Size:1-16 UN-2B OEM:LF3345	 Largest OD:78(mm) Overall Height:122(mm) Thread Size:3/4-16 UNF-2B OEM:LF3568

USE FOR CUMMINS

 Largest OD:110(mm) Overall Height:103(mm) Thread Size:1-12 UNF OEM:LF3828	 Largest OD:118(mm) Overall Height:297(mm) Thread Size:M95 X 2.5 OEM:LF9001
 Largest OD:94(mm) Overall Height:142(mm) Thread Size:M16 X 1.5-6H INT OEM:WF2096	

USE FOR VOLVO

	Largest OD:121(mm) Overall Height:296(mm) Thread Size:1 3/4-12 UN-2B OEM:11037868		Largest OD: Overall Height: Thread Size: OEM:22 116 209
	Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 3/8-16 OEM:21707132		Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8-16 OEM:21707133
	Largest OD: 108(mm) Overall Height:260(mm) Thread Size:1 1/8-16 OEM:21707134		Largest OD: 94(mm) Overall Height:139(mm) Thread Size: 1-14 OEM:20998367
	Largest OD: 94(mm) Overall Height:205(mm) Thread Size: 1-12 OEM:3831236		Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:466634-3
	Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 3/8"-16 OEM:477556		Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:478736
	Largest OD: 65(mm) Overall Height:151(mm) Thread Size: OEM:85108176		Largest OD: Overall Height: Thread Size: OEM:23075366

USE FOR VOLVO

	Largest OD: 94(mm) Overall Height:139(mm) Thread Size: 1-14 OEM:20514654		Largest OD: 108(mm) Overall Height:158(mm) Thread Size: 1-14 OEM:20879812
	Largest OD: 108(mm) Overall Height:260(mm) Thread Size: M32X1.5 OEM:20430751		Largest OD: 94(mm) Overall Height:212(mm) Thread Size: M18X1.5 OEM:20805349
	Largest OD: 108(mm) Overall Height:260(mm) Thread Size: M32X1.5 OEM:20976003		Largest OD: 94(mm) Overall Height:139(mm) Thread Size: 1-14 OEM:20998367
	Largest OD: 108(mm) Overall Height:130(mm) Thread Size: 1-14 OEM:21380475		Largest OD: 77(mm) Overall Height:120(mm) Thread Size:M16X1.5 OEM:466987
	Largest OD: 108(mm) Overall Height:155(mm) Thread Size: 1-14 OEM:8159975		Largest OD: 94(mm) Overall Height:145(mm) Thread Size: M16X1.5 OEM:20532237
	Largest OD: 108(mm) Overall Height:215(mm) Thread Size:1-14 OEM:11110668		Largest OD: 108(mm) Overall Height:215(mm) Thread Size: 1-14 OEM:11110683

USE FOR VOLVO

 Largest OD:97(mm) Overall Height:108(mm) Thread Size:13/16-16 UN OEM:835440	 Largest OD: 108(mm) Overall Height:161(mm) Thread Size: 1 1/8-16 U OEM:847741
 Largest OD: Overall Height: Thread Size: OEM:3517857-3	 Largest OD: Overall Height: Thread Size: OEM:3850559
 Largest OD:94(mm) Overall Height:174(mm) Thread Size:1-12 UNF-2B OEM:4785974-9	 Largest OD:85(mm) Overall Height:125(mm) Thread Size:8692305 OEM:837079726
 Largest OD: 110(mm) Overall Height:157(mm) Thread Size: 1-14 UNF OEM:20450423	 Largest OD: 93(mm) Overall Height:212(mm) Thread Size: M 18 X 1.5 OEM:20805349
 Largest OD: 136(mm) Overall Height:164(mm) Thread Size: M39 x 1.5 OEM:20972915	 Largest OD: Overall Height: Thread Size: OEM:21412843
 Largest OD: Overall Height: Thread Size: OEM:21718912	 Largest OD:94(mm) Overall Height:213(mm) Thread Size: 3/4-16 UNF OEM:22030852

USE FOR CAT

 Largest OD: 84(mm) Overall Height:197(mm) Thread Size: OEM:228-9130	 Largest OD: Overall Height: Thread Size: OEM:361-9554
 Largest OD: 129(mm) Overall Height:170(mm) Thread Size: 1 1/2"-16 OEM:41-6788	 Largest OD: 79(mm) Overall Height:136(mm) Thread Size: 2"-12 OEM:41-3948
 Largest OD: 85(mm) Overall Height:140(mm) Thread Size: M45X2 OEM:51-8670	 Largest OD: 88(mm) Overall Height:165(mm) Thread Size: M68X2 OEM:4630525
 Largest OD: 122(mm) Overall Height:295(mm) Thread Size: 1 3/4-12 OEM:9T-0973	 Largest OD: 95(mm) Overall Height:248(mm) Thread Size: 1 3/8"-12 OEM:1G-8878
 Largest OD: 98(mm) Overall Height:240(mm) Thread Size: 1 3/8-12 UNF-2B OEM:1G-8878	 Largest OD: 128(mm) Overall Height:170(mm) Thread Size:1 1/2-16 UN-2B OEM:4T-6788
 Largest OD: 93(mm) Overall Height:136(mm) Thread Size:3/4-16 OEM:7W2327	 Largest OD: 77(mm) Overall Height:123(mm) Thread Size: 13/16-16 UNF OEM:119-4740

USE FOR CAT

 Largest OD: 108(mm) Overall Height:223(mm) Thread Size: M32X1.5 OEM:5I-7950	 Largest OD: 94(mm) Overall Height:175(mm) Thread Size: 3/4-16 OEM:7W-2326
 Largest OD: 118(mm) Overall Height:296(mm) Thread Size: 1 3/4-12 UN-2B OEM:126-1817s	 Largest OD: 138(mm) Overall Height:315(mm) Thread Size: OEM:382-0664
 Largest OD: 102(mm) Overall Height:235(mm) Thread Size: Φ41.5,Φ41.5 OEM:1R-0659	 Largest OD: 102(mm) Overall Height:235(mm) Thread Size: Φ58.5,Φ58.5 OEM:1R-0719
 Largest OD: 129(mm) Overall Height:230(mm) Thread Size: Φ84,Φ84 OEM:1R-0721	 Largest OD: 130(mm) Overall Height:280(mm) Thread Size: Φ85,Φ85 OEM:1R-0722
 Largest OD: 188(mm) Overall Height:260(mm) Thread Size: Φ72,Φ72 OEM:1R-0726	 Largest OD: 78.5(mm) Overall Height:229(mm) Thread Size: Φ47,Φ47 OEM:1R-0728
 Largest OD: 78.5(mm) Overall Height:229(mm) Thread Size: Φ38,Φ38 OEM:1R-0729	 Largest OD: 108(mm) Overall Height:265(mm) Thread Size: 1 1/8-16 OEM:1R-0735

USE FOR CAT

 Largest OD: 94(mm) Overall Height:170(mm) Thread Size: 1 1/8"-16 OEM:093-7521	 Largest OD: 108(mm) Overall Height:200(mm) Thread Size: 1 1/8"-16 OEM:192-6A
 Largest OD: 94(mm) Overall Height:135(mm) Thread Size: 1 1/8"-16 OEM:1R-0713	 Largest OD: 108(mm) Overall Height:145(mm) Thread Size: 1 1/8"-16 OEM:1R-0714
 Largest OD: 136(mm) Overall Height:308(mm) Thread Size: 1 1/2"-16 OEM:1R-0716	 Largest OD: 94(mm) Overall Height:135(mm) Thread Size: 1"-12 OEM:1R-0734
 Largest OD: 108(mm) Overall Height:265(mm) Thread Size: 1 1/8"-16 OEM:1R-0739	 Largest OD: 108(mm) Overall Height:265(mm) Thread Size: 1 1/8"-16 OEM:1R-1807
 Largest OD: 136(mm) Overall Height:308(mm) Thread Size: 1 1/2"-16 OEM:1R-1808	 Largest OD: 118(mm) Overall Height:286(mm) Thread Size: 1 3/8-16 OEM:1W-8845
 Largest OD: 108(mm) Overall Height:265(mm) Thread Size: 1 1/8"-16 OEM:2P-4004	 Largest OD: 136(mm) Overall Height:310(mm) Thread Size: 1 1/2"-16 OEM:2P-4005

USE FOR CAT



Largest OD: 92(mm)
Overall Height:100(mm)
Thread Size: M20X1.5

OEM:183-8187



Largest OD: 108(mm)
Overall Height:265(mm)
Thread Size: M22X1.5

OEM:31945-84040



Largest OD: 94(mm)
Overall Height:270(mm)
Thread Size: 1"-14

OEM:1R-0712



Largest OD: 85(mm)
Overall Height:180(mm)
Thread Size: 1"-14

OEM:1R-0740



Largest OD: 94(mm)
Overall Height:270(mm)
Thread Size: 1"-14

OEM:1R-0749



Largest OD: 85(mm)
Overall Height:180(mm)
Thread Size: 1"-14

OEM:1R-0750



Largest OD: 85(mm)
Overall Height:180(mm)
Thread Size: 7/8"-14

OEM:1R-0751



Largest OD: 94(mm)
Overall Height:270(mm)
Thread Size: 7/8"-14

OEM:1R-0753



Largest OD: 136(mm)
Overall Height:308(mm)
Thread Size: 1 3/8"-16

OEM:1R-0755



Largest OD: 94(mm)
Overall Height:270(mm)
Thread Size: 1"-14

OEM:1R-0762



Largest OD: 94(mm)
Overall Height:270(mm)
Thread Size: 1"-14

OEM:1R-1712



Largest OD: 94(mm)
Overall Height:177(mm)
Thread Size: 1-14

OEM:1R-1740

USE FOR CAT



Largest OD: 94(mm)
Overall Height:168(mm)
Thread Size: 1"-14

OEM:1P-2299



Largest OD: 86(mm)
Overall Height:150(mm)
Thread Size: 1/2-16

OEM:299-8229



Largest OD: 94(mm)
Overall Height:176(mm)
Thread Size: M22X1.5

OEM:308-7298



Largest OD:
Overall Height:
Thread Size:

OEM:360-8958



Largest OD: 92(mm)
Overall Height:125(mm)
Thread Size: M20X1.5

OEM:5I-7951



Largest OD: 92(mm)
Overall Height:80(mm)
Thread Size: 3/4"-16

OEM:KS-571C



Largest OD: 94(mm)
Overall Height:135(mm)
Thread Size: M22X1.5

OEM:WXL103-1



Largest OD: 82(mm)
Overall Height:97(mm)
Thread Size: 3/4"-16

OEM:WXL260



Largest OD: 82(mm)
Overall Height:152(mm)
Thread Size:

OEM:117-4089



Largest OD: 108(mm)
Overall Height:305(mm)
Thread Size:1"-14

OEM:129-0373



Largest OD: 82(mm)
Overall Height:152(mm)
Thread Size:

OEM:131-1812



Largest OD: 108(mm)
Overall Height:214(mm)
Thread Size: 1"-14

OEM:133-5673

USE FOR KOMATSU

	Largest OD: 116(mm) Overall Height: 313(mm) Thread Size: 1 1/4"-12 OEM: 600-311-3111		Largest OD: 118(mm) Overall Height: 287(mm) Thread Size: 1 5/8"-12 OEM: 600-311-3550
	Largest OD: 94(mm) Overall Height: 168(mm) Thread Size: 1-14 OEM: 600-311-8293		Largest OD: 94(mm) Overall Height: 145(mm) Thread Size: 1-14 OEM: 600-311-8321
	Largest OD: 94(mm) Overall Height: 174(mm) Thread Size: 7/8-14 OEM: 600-319-3750		Largest OD: 77(mm) Overall Height: 118(mm) Thread Size: M16X1.5 OEM: 6732-71-6110
	Largest OD: 77(mm) Overall Height: 118(mm) Thread Size: M16X1.5 OEM: 6732-71-6111		Largest OD: 122(mm) Overall Height: 250(mm) Thread Size: M32X2 OEM: 600-311-4510
	Largest OD: 94(mm) Overall Height: 176(mm) Thread Size: 1-14 OEM: 600-311-9121		Largest OD: 94(mm) Overall Height: 225(mm) Thread Size: 1-14 OEM: 600-311-3610
	Largest OD: Overall Height: Thread Size: OEM: 600-319-5610		Largest OD: 116(mm) Overall Height: 286(mm) Thread Size: 1 1/4"-12 OEM: 600-311-7110

USE FOR KOMATSU

	Largest OD: 108(mm) Overall Height: 270(mm) Thread Size: 1 1/2"-12 OEM: 600-211-1231		Largest OD: 118(mm) Overall Height: 330(mm) Thread Size: M95X2.5 OEM: 600-211-1340
	Largest OD: 94(mm) Overall Height: 170(mm) Thread Size: 1-16 OEM: 6735-51-5140		Largest OD: 108(mm) Overall Height: 172(mm) Thread Size: 1 1/8"-16 OEM: 6136-51-5121
	Largest OD: 75(mm) Overall Height: 78(mm) Thread Size: 3/4-16 OEM: 600-211-2110		Largest OD: 94(mm) Overall Height: Thread Size: 1" - 12 OEM: 600-211-6241
	Largest OD: 77(mm) Overall Height: 116(mm) Thread Size: 3/4-16 UNF OEM: 600-311-8222		Largest OD: 93(mm) Overall Height: 170(mm) Thread Size: 1-16 UN - 2B OEM: 6736-51-5142
	Largest OD: 98(mm) Overall Height: 135(mm) Thread Size: M 20 X 1.5 OEM: YM129901-55850		OEM: 7140728712

USE FOR PERKINS



Largest OD:
Overall Height:
Thread Size:
OEM:2656F815



Largest OD:
Overall Height:
Thread Size:
OEM:36944



Largest OD:
Overall Height:
Thread Size:
OEM:36995



Largest OD: 96 (mm)
Overall Height:145 (mm)
Thread Size: M 24 X 2
OEM:3595175M1



Largest OD:
Overall Height:
Thread Size:
OEM:4587258



Largest OD:
Overall Height:
Thread Size:
OEM:4587259



Largest OD:
Overall Height:
Thread Size:
OEM:4587260



Largest OD:
Overall Height:
Thread Size:
OEM:4627132



Largest OD:
Overall Height:
Thread Size:
**OEM: 7092312C1
7092312C2**



Largest OD:
Overall Height:
Thread Size:
OEM:4415122



Largest OD: 136 (mm)
Overall Height:302(mm)
Thread Size: 1 1/2-16UN
OEM:26540238



Largest OD:
Overall Height:
Thread Size:
OEM:130306380

USE FOR PERKINS



Largest OD: 77(mm)
Overall Height:84(mm)
Thread Size: 3/4"-16
OEM:140517050



Largest OD: 136(mm)
Overall Height:310(mm)
Thread Size: M36X1.5
OEM:26540244



Largest OD: 94(mm)
Overall Height:140(mm)
Thread Size: 3/4"-16
OEM:2654403



Largest OD: 94(mm)
Overall Height:175(mm)
Thread Size: 3/4"-16
OEM:2654407



Largest OD: 76(mm)
Overall Height:149(mm)
Thread Size: 3/4"-16
OEM:2654408



Largest OD: 94(mm)
Overall Height:205(mm)
Thread Size: M24X1.5
OEM:2654A111



Largest OD: 124(mm)
Overall Height:265(mm)
Thread Size: Φ42.6
OEM:CH10929



Largest OD: 108(mm)
Overall Height:180(mm)
Thread Size: M30X1.5
OEM:CV2473



Largest OD: 108(mm)
Overall Height:228(mm)
Thread Size: 1-12
OEM:SE111B



Largest OD: 94(mm)
Overall Height:143(mm)
Thread Size:3/4-16 UNF
OEM:2654403



Largest OD:
Overall Height:
Thread Size:
OEM:2654403



Largest OD: 82(mm)
Overall Height:152(mm)
Thread Size:
OEM:10000-51230

USE FOR PERKINS

	Largest OD: 84(mm) Overall Height: 71(mm) Thread Size: $\Phi 42, \Phi 19$ OEM: 26550005		Largest OD: 108(mm) Overall Height: 205(mm) Thread Size: 7/8"-14 OEM: 26560137
	Largest OD: 76(mm) Overall Height: 115(mm) Thread Size: $\Phi 35, \Phi 35$ OEM: 26560163		Largest OD: 76(mm) Overall Height: 159(mm) Thread Size: $\Phi 35, \Phi 35$ OEM: 26560201
	Largest OD: 84(mm) Overall Height: 71(mm) Thread Size: OEM: 26561117		Largest OD: 82(mm) Overall Height: 156(mm) Thread Size: M16X1.5 OEM: 26561118
	Largest OD: 108(mm) Overall Height: 200(mm) Thread Size: 7/8"-14 OEM: 26562002		Largest OD: 84(mm) Overall Height: 144(mm) Thread Size: 1/2"-16 OEM: 2656F843
	Largest OD: 94(mm) Overall Height: 176(mm) Thread Size: M22X1.5 OEM: 2656F853		Largest OD: 115(mm) Overall Height: 238(mm) Thread Size: $\Phi 54.8$ OEM: CH10930
	Largest OD: 124(mm) Overall Height: 263(mm) Thread Size: $\Phi 52.3$ OEM: CH10931		Largest OD: 94(mm) Overall Height: 179(mm) Thread Size: M24X1.5 OEM: OD19596


USE FOR PERKINS

	Largest OD: 118(mm) Overall Height: 314(mm) Thread Size: 1 1/4"-12 OEM: SE429B		Largest OD: 82(mm) Overall Height: 197(mm) Thread Size: OEM: 26560141
	Largest OD: 82(mm) Overall Height: 152(mm) Thread Size: OEM: 26560143		Largest OD: 82(mm) Overall Height: 133(mm) Thread Size: OEM: 26560145
	Largest OD: 82(mm) Overall Height: 152(mm) Thread Size: OEM: 901-248		Largest OD: 82(mm) Overall Height: 133(mm) Thread Size: OEM: 901-249
	Largest OD: Overall Height: Thread Size: OEM: 4132A016		Largest OD: Overall Height: Thread Size: OEM: 4132A018
			
			

USE FOR SCANIA

 Largest OD: 108(mm) Overall Height: 260(mm) Thread Size: 1 1/8"-16 OEM: 1117285	 Largest OD: 94(mm) Overall Height: 114(mm) Thread Size: M23X1.5 OEM: 1301696
 Largest OD: Overall Height: Thread Size: OEM: 1372444	 Largest OD: 150(mm) Overall Height: 170(mm) Thread Size: OEM: 1393551
 Largest OD: 60(mm) Overall Height: 100(mm) Thread Size: Φ18 OEM: 153468	 Largest OD: 95(mm) Overall Height: 90(mm) Thread Size: 3/4"-16 OEM: 173171
 Largest OD: 95(mm) Overall Height: 108(mm) Thread Size: M23X1.5 OEM: 1768402	 Largest OD: 90(mm) Overall Height: 281(mm) Thread Size: OEM: 2022275
 Largest OD: 90(mm) Overall Height: 281(mm) Thread Size: OEM: 2037556	 Largest OD: 95(mm) Overall Height: 203(mm) Thread Size: OEM: 1736251
 Largest OD: 140(mm) Overall Height: 178(mm) Thread Size: OEM: 1774598	 Largest OD: Overall Height: Thread Size: OEM: 1852006

USE FOR SCANIA

 Largest OD: 108(mm) Overall Height: 181(mm) Thread Size: 1-14 OEM: 1518512	 Largest OD: 94(mm) Overall Height: 145(mm) Thread Size: M24X1.5 OEM: 1763776
 Largest OD: 108(mm) Overall Height: 155(mm) Thread Size: 1-14 OEM: 1393640	 Largest OD: 108(mm) Overall Height: 215(mm) Thread Size: 1-14 OEM: 1780730
 Largest OD: 100(mm) Overall Height: 259(mm) Thread Size: Φ45 OEM: 1873014	 Largest OD: 85(mm) Overall Height: 183(mm) Thread Size: OEM: 1873016
 Overall Length : 377(mm) Overall Width : 136(mm) Overall Height : 20(mm) OEM: 1913500	 Largest OD: 77(mm) Overall Height: 118(mm) Thread Size: M16×1.5 OEM: 364624
 Largest OD: Overall Height: Thread Size: OEM: 1865227	 Largest OD: 84(mm) Overall Height: 183(mm) Thread Size: OEM: 1873018

USE FOR JOHN DEERE

 Largest OD: 94(mm) Overall Height:135(mm) Thread Size: 13/16"-16 OEM:T19044	 Largest OD: 94(mm) Overall Height:151(mm) Thread Size: M92X2.5 OEM:RE504836
 Largest OD: 94(mm) Overall Height:135(mm) Thread Size: M24X1.5 OEM:RE518977	 Largest OD: 94(mm) Overall Height:135(mm) Thread Size: M24X1.5 OEM:RE519626
 Largest OD: 127(mm) Overall Height:172(mm) Thread Size: 1 1/2"-12 OEM:RE57394	 Largest OD: 94(mm) Overall Height:142(mm) Thread Size: 1 1/2"-16 OEM:RE59754
 Largest OD:88(mm) Overall Height:154(mm) Thread Size: OEM:RE546336	 Largest OD: 118(mm) Overall Height:353(mm) Thread Size:M 52 X 1.5 - 6H OEM:RE561823
 Largest OD:79(mm) Overall Height:197(mm) Thread Size: OEM:RE62420	 Largest OD: Overall Height: Thread Size: OEM:3047707
 Largest OD: 83(mm) Overall Height:136(mm) Thread Size: OEM:RE64449	 Largest OD: 117(mm) Overall Height:191(mm) Thread Size: 1 3/4-12 UN-2B OEM:RE273801

USE FOR JOHN DEERE

 Largest OD: 80(mm) Overall Height:113(mm) Thread Size: OEM:RE60021	 Largest OD: 80(mm) Overall Height:133(mm) Thread Size: OEM:RE62418
 Largest OD: 80(mm) Overall Height:155(mm) Thread Size: OEM:RE62419	 Largest OD: 80(mm) Overall Height:155(mm) Thread Size: OEM:RE522868
 Largest OD: 83(mm) Overall Height:197(mm) Thread Size: OEM:RE522878	 Largest OD: 83(mm) Overall Height:197(mm) Thread Size: OEM:RE529643
 Largest OD: 83(mm) Overall Height:154(mm) Thread Size: OEM: RE62424	 Largest OD: 83(mm) Overall Height:154(mm) Thread Size: OEM: RE509031
 Largest OD: 83(mm) Overall Height:155(mm) Thread Size: OEM: RE509206	 Largest OD: 83(mm) Overall Height:197(mm) Thread Size: OEM:RE509036
 Largest OD: 83(mm) Overall Height:155(mm) Thread Size: OEM:RE526557	 Largest OD: 108(mm) Overall Height:172(mm) Thread Size: 1-14 OEM:RE523236

USE FOR JOHN DEERE

 Largest OD: Overall Height: Thread Size: OEM:RE520906	 Largest OD: 128(mm) Overall Height:171(mm) Thread Size: 1 5/8X12 OEM:RE521420
 Largest OD: 108(mm) Overall Height:290(mm) Thread Size: 1-14 UN-2B OEM:RE531703	 Largest OD: 108(mm) Overall Height:216(mm) Thread Size: OEM:RE532952
 Largest OD: Overall Height: Thread Size: OEM:RE533222	 Largest OD: 108(mm) Overall Height:233(mm) Thread Size: OEM:RE533910
 Largest OD: 88(mm) Overall Height:197(mm) Thread Size: OEM:RE541925	 Largest OD: 88(mm) Overall Height:154(mm) Thread Size: OEM:RE544394

USE FOR BENZ

 Largest OD: 91(mm) Overall Height:105(mm) Thread Size: Φ26,Φ14 OEM:A00009015510010	 Largest OD: 94(mm) Overall Height:242(mm) Thread Size: 1-14 OEM:A0004771302
 Largest OD: 108(mm) Overall Height:210(mm) Thread Size: 1"-14 OEM:A3760927301KZ	 Largest OD:108(mm) Overall Height:155(mm) Thread Size: 1"-12 OEM:A4570920001KZ
 Largest OD: 108(mm) Overall Height:210(mm) Thread Size: 1"-14 OEM:A4760927201KZ	 Largest OD: 106(mm) Overall Height:202.5(mm) Thread Size: Φ46,Φ14 OEM:A5410900051
 Largest OD: 108(mm) Overall Height:182(mm) Thread Size: 1"-12 OEM:A9794770015KZ	 Largest OD: 108(mm) Overall Height:161(mm) Thread Size: 1-14 UNS-2B OEM:R90-D-IVEC-01 504086268

USE FOR JCB

 Largest OD: 94(mm) Overall Height:170(mm) Thread Size: M22X1.5 OEM:320/04133	 Largest OD: 94(mm) Overall Height:97(mm) Thread Size: 1-12 OEM:581/18063 32/915500
 Largest OD: 94(mm) Overall Height:123(mm) Thread Size: 1-12 OEM:581/18076	 Largest OD: 94(mm) Overall Height:168(mm) Thread Size: 3/4-16 OEM:02/100073A
 Largest OD: 83(mm) Overall Height:145(mm) Thread Size: OEM:32/925694	 Largest OD: 83(mm) Overall Height:197(mm) Thread Size: OEM:32/925869
 Largest OD: 83(mm) Overall Height:145(mm) Thread Size: OEM:32/925915	 Largest OD: 83(mm) Overall Height:197(mm) Thread Size: OEM:32/925994
 Largest OD: Overall Height: Thread Size: OEM:32/925905A	 Largest OD: 83(mm) Overall Height:155(mm) Thread Size: M16X1.5 OEM:32/912001
 Largest OD: 83(mm) Overall Height:155(mm) Thread Size: OEM:32/925760	 Largest OD: 81(mm) Overall Height:179(mm) Thread Size: OEM: 320/07155

USE FOR JCB

 Largest OD: Overall Height: Thread Size: OEM:32-925683	 Largest OD: Overall Height: Thread Size: OEM:227-7449
 Largest OD: Overall Height: Thread Size: OEM:227-7448	 Largest OD: Overall Height: Thread Size: OEM:3466688
 Largest OD: Overall Height: Thread Size: OEM:32-925682	 Largest OD: 76(mm) Overall Height:119(mm) Thread Size: M16x1,5 OEM:02/910155A
 Largest OD: 94(mm) Overall Height:173(mm) Thread Size: OEM:02/8910140A	 Largest OD: 94(mm) Overall Height:220(mm) Thread Size: OEM:32/925968
 Largest OD: Overall Height: Thread Size: OEM:320/07426	 Largest OD: 94(mm) Overall Height:165(mm) Thread Size: OEM:332/Y3163
 Largest OD: Overall Height: Thread Size: OEM:32-921001	 Largest OD: Overall Height: Thread Size: OEM:32/925950

USE FOR IVECO

 Largest OD: 108(mm) Overall Height:210(mm) Thread Size: M30X2 OEM:1903629	 Largest OD: 108(mm) Overall Height:233(mm) Thread Size: 1-12 OEM:1907570
 Largest OD: 94(mm) Overall Height:170(mm) Thread Size: M27X2 OEM:2992242	 Largest OD: 108(mm) Overall Height:230(mm) Thread Size: M30X2 OEM:2992544
 Largest OD: 108(mm) Overall Height:165(mm) Thread Size:M16X1.5 OEM:2994048	 Largest OD: 108(mm) Overall Height:213(mm) Thread Size: M30X2 OEM:2997305
 Largest OD: 110(mm) Overall Height:144(mm) Thread Size: 3/4-16 UNF-2B OEM:1903628	 Largest OD: 84(mm) Overall Height:155(mm) Thread Size: M16X1.5 OEM:1930010
 Largest OD: 94(mm) Overall Height:195(mm) Thread Size: M16X1.5 OEM:2992662	 Largest OD: 108(mm) Overall Height:222(mm) Thread Size: 1-14 OEM:2997378
 Largest OD: 108(mm) Overall Height:156(mm) Thread Size: 1-14 OEM:504086268	 Largest OD: 84(mm) Overall Height:197(mm) Thread Size: OEM:504107584

USE FOR IVECO OR CNH

 Largest OD: 77(mm) Overall Height:156(mm) Thread Size: M16X1.5 OEM:1902138	 Largest OD: 77(mm) Overall Height:145(mm) Thread Size: M16X1.5 OEM:1907640
 Largest OD: 94(mm) Overall Height:195(mm) Thread Size: M14X1.5 OEM:1908547	 Largest OD: 94(mm) Overall Height:190(mm) Thread Size: M20X1.5 OEM:2992241
 Largest OD: Overall Height: Thread Size: OEM:5801592275	
 Largest OD:94(mm) Overall Height:172(mm) Thread Size:1"-12 UNF OEM:81879134	 Largest OD:136(mm) Overall Height:165(mm) Thread Size:1 3/4X16 OEM:84123428
 Largest OD: Overall Height: Thread Size: OEM:84171692	 Largest OD: 78(mm) Overall Height:154(mm) Thread Size:M 16 X 1.5 - 6H OEM:84171722
 Largest OD: Overall Height: Thread Size: OEM:84202794	 Largest OD: 116(mm) Overall Height:297(mm) Thread Size: 1 3/8-12 U OEM:84226263

USE FOR CNH

 Largest OD: Overall Height: Thread Size: OEM:4625547	 Largest OD: Overall Height: Thread Size: OEM:81879134
 Largest OD: Overall Height: Thread Size: OEM:84465105	 Largest OD: Overall Height: Thread Size: OEM:87712547
 Largest OD: Overall Height: Thread Size: OEM:87803442	 Largest OD: Overall Height: Thread Size: OEM:84171692
 Largest OD: Overall Height: Thread Size: OEM:84217953	 Largest OD: Overall Height: Thread Size: OEM:84228488
 Largest OD: Overall Height: Thread Size: OEM:84559022	 Largest OD: Overall Height: Thread Size: OEM:84559024
 Largest OD: Overall Height: Thread Size: OEM:87801285	

USE FOR FORD

 Largest OD: Overall Height: Thread Size: OEM:2C46.6C769.AA	 Largest OD: Overall Height: Thread Size: OEM:2C46.9176.AA
 Largest OD: Overall Height: Thread Size: OEM:2C466744-A1B	 Largest OD: Overall Height: Thread Size: OEM:3C46-9176-CA
 Largest OD: 83(mm) Overall Height:197(mm) Thread Size: OEM:6C11-9176-AB	 Largest OD: Overall Height: Thread Size: OEM:CC119176BA 1764944
 Largest OD: Overall Height: Thread Size: OEM:EFL386	 Largest OD: 88(mm) Overall Height:161(mm) Thread Size: OEM: 844F-9176-CAB
 Largest OD: 89(mm) Overall Height:161(mm) Thread Size: OEM:844F-9176-CAB	 Largest OD: 88(mm) Overall Height:197(mm) Thread Size: OEM:3C11-9176-BC
 Largest OD: Overall Height: Thread Size: OEM:97FF-9176-A1C	

USE FOR PARK

	Largest OD: 94(mm) Overall Height:103(mm) Thread Size: 1-14 OEM:R20P
	Largest OD: 94(mm) Overall Height:140(mm) Thread Size: 1-14 OEM:R25P
	Largest OD: 108(mm) Overall Height:146(mm) Thread Size: 1-14 OEM:R90P
	Largest OD: 108(mm) Overall Height:217(mm) Thread Size: 1-14 OEM:R120P
	Largest OD: 108(mm) Overall Height:217(mm) Thread Size:1-14 OEM:R120T
	Largest OD: 108(mm) Overall Height:219(mm) Thread Size: 1-14 OEM:R90-MER-01
	Largest OD: Overall Height: Thread Size: OEM:31945-45900
	Largest OD: Overall Height: Thread Size: OEM:31945-52160
	Largest OD: Overall Height: Thread Size: OEM:S3213
	Largest OD: Overall Height: Thread Size: OEM:S3227
	Largest OD: Overall Height: Thread Size: OEM:S3232
	Largest OD: Overall Height: Thread Size: OEM:S3240

USE FOR MACK OR DAF

	Largest OD: 108(mm) Overall Height:205(mm) Thread Size:13/16-18 OEM:483GB444
	Largest OD: 108(mm) Overall Height: 264(mm) Thread Size: 1 1/8-16 OEM: 485GB3191C
	Largest OD: 94(mm) Overall Height: 137(mm) Thread Size: 3/4-20 OEM:25MF435B
	Largest OD: 108(mm) Overall Height: 180(mm) Thread Size: M22X1.5 OEM:483GB470M
	Largest OD: 108(mm) Overall Height: 264(mm) Thread Size: 1 1/16-16 OEM:483GB440
	Largest OD: 108(mm) Overall Height: 205(mm) Thread Size: 7/8-16 OEM:483GB441
	Largest OD: 108(mm) Overall Height:264(mm) Thread Size:M30 X 1.5-6H INT OEM:483GB471M
	Largest OD:108(mm) Overall Height:264(mm) Thread Size:M30 X 1.5-6H INT OEM:21939324
	Largest OD: 136(mm) Overall Height:308(mm) Thread Size: 1 1/2"-16 OEM:0267714
	Largest OD: 136(mm) Overall Height:316(mm) Thread Size: M42X2 OEM:1310901
	Largest OD: 136(mm) Overall Height:222(mm) Thread Size: M42X2 OEM:1345332
	Largest OD: 94(mm) Overall Height:141(mm) Thread Size:M16x1.5 OEM:1318695

USE FOR DONALDSON

 Largest OD: 97(mm) Overall Height:100(mm) Thread Size: 7/8-14 OEM:P173739	 Largest OD: 76(mm) Overall Height:88(mm) Thread Size: 3/4 - 16 OEM:P502107
 Largest OD: 128(mm) Overall Height:169(mm) Thread Size: 1 1/2 - 16 OEM:P550388	 Largest OD: 115(mm) Overall Height:286(mm) Thread Size: 1 1/4-12 UNF OEM:P550202
 Largest OD: 118(mm) Overall Height:260(mm) Thread Size: 1 3/8-16 UN OEM:P550777	 Largest OD: 83(mm) Overall Height:155(mm) Thread Size: OEM:P551424
 Largest OD: 118(mm) Overall Height:300(mm) Thread Size: 1 5/8X12 OEM:P553500	 Largest OD: 93(mm) Overall Height:174(mm) Thread Size:1-14 UN OEM:P557440
 Largest OD: 97(mm) Overall Height:152(mm) Thread Size: 7/8-14 OEM:P173738	 Largest OD: 121(mm) Overall Height:295(mm) Thread Size: 1 3/4-12 OEM:P165659
 Largest OD: 80(mm) Overall Height:140(mm) Thread Size: 2-12 OEM:P170480	 Largest OD: 94(mm) Overall Height:240(mm) Thread Size: 1 3/8-12 OEM:P177047

USE FOR DONALDSON

 Largest OD: 94(mm) Overall Height:140(mm) Thread Size: 1 1/2-16 OEM:P551352	 Largest OD: 118(mm) Overall Height:286(mm) Thread Size: 1 1/2"-12 OEM:P551670
 Largest OD: 118(mm) Overall Height:199(mm) Thread Size: 1 1/2"-16 OEM:P552050	 Largest OD: 118(mm) Overall Height:293(mm) Thread Size: M95X2 OEM:P552025
 Largest OD: 118(mm) Overall Height:260(mm) Thread Size: 1 5/8-12 OEM:P552100	 Largest OD: 108(mm) Overall Height:262(mm) Thread Size: 1 1/8-16 OEM:P554004
 Largest OD: 136(mm) Overall Height:302(mm) Thread Size: 1 1/2"-16 OEM:P554005	 Largest OD: 118(mm) Overall Height:297(mm) Thread Size:M95X2.5 OEM:P559000
 Largest OD: 94(mm) Overall Height:136(mm) Thread Size: 1-16 OEM: P558616	 Largest OD: 94(mm) Overall Height:136(mm) Thread Size: 11/16-16 OEM:P554073
 Largest OD: 97(mm) Overall Height:152(mm) Thread Size: 1 3/8-12 OEM:P164381	 Largest OD: 97(mm) Overall Height:240(mm) Thread Size: 1 3/8-12 OEM:P164378

USE FOR DONALDSON



Largest OD: 77(mm)
Overall Height: 80(mm)
Thread Size: M20X1.5
OEM: P550127



Largest OD: 84(mm)
Overall Height: 100(mm)
Thread Size: 3/4-16
OEM: P550225



Largest OD: 83(mm)
Overall Height: 136(mm)
Thread Size:
OEM: P550351



Largest OD: 99(mm)
Overall Height: 138(mm)
Thread Size: M20X1.5
OEM: P550390



Largest OD: 94(mm)
Overall Height: 172(mm)
Thread Size: M24X1.5
OEM: P550391



Largest OD: 83(mm)
Overall Height: 155(mm)
Thread Size:
OEM: P550397



Largest OD: 111(mm)
Overall Height: 128(mm)
Thread Size: 1-14
OEM: P550436



Largest OD: 111(mm)
Overall Height: 130(mm)
Thread Size: 1-14
OEM: P550730



Largest OD: 94(mm)
Overall Height: 240(mm)
Thread Size: 1-14
OEM: P551311



Largest OD: 94(mm)
Overall Height: 125(mm)
Thread Size: 3/4-16
OEM: P552564



Largest OD: 97(mm)
Overall Height: 202(mm)
Thread Size: 1-12
OEM: P556915



Largest OD: 94(mm)
Overall Height: 174(mm)
Thread Size: 13/16-12
OEM: P556916

USE FOR NEW HOLLAND



Largest OD: 108(mm)
Overall Height: 146(mm)
Thread Size: 3/4-16
OEM: 4625547



Largest OD: 108(mm)
Overall Height: 113(mm)
Thread Size: 3/4-16
OEM: 47135703



Largest OD: 88(mm)
Overall Height: 195(mm)
Thread Size:
OEM: 87803441



Largest OD: 88(mm)
Overall Height: 197(mm)
Thread Size:
OEM: 87801285



Largest OD: 108(mm)
Overall Height: 162(mm)
Thread Size: 1 1/8-16
OEM: 5113297



Largest OD: 83(mm)
Overall Height: 155(mm)
Thread Size:
OEM: 87803444



Largest OD: 83(mm)
Overall Height: 197(mm)
Thread Size:
OEM: 87840590



Largest OD: 84(mm)
Overall Height: 155(mm)
Thread Size: M16X1.5
OEM: 87800220



Largest OD: 110(mm)
Overall Height: 146(mm)
Thread Size: 3/4-16
OEM: 1909102



Largest OD: 136(mm)
Overall Height: 165(mm)
Thread Size: 1 3/4-16
OEM: 5174044



Largest OD: 94(mm)
Overall Height: 174(mm)
Thread Size: 1 1/8-16
OEM: 83912256



Largest OD: 87(mm)
Overall Height: 71(mm)
Thread Size:
OEM: 83937061

USE FOR BALDWIN

 Largest OD: 94(mm) Overall Height:189(mm) Thread Size: 1-14 OEM:BF1212	 Largest OD: 94(mm) Overall Height:242(mm) Thread Size: 1-14 OEM:BF1259
 Largest OD: 94(mm) Overall Height:203(mm) Thread Size: 1-12 OEM:BF5800	 Largest OD: 94(mm) Overall Height:180(mm) Thread Size: 13/16-12 OEM:BF5810
 Largest OD: 94(mm) Overall Height:267(mm) Thread Size: 1-14 OEM:BF614	 Largest OD: 94(mm) Overall Height:267(mm) Thread Size: 1-14 OEM:BF7587
 Largest OD: 94(mm) Overall Height:233(mm) Thread Size: M72X2.0 OEM:BF7766	 Largest OD: 84(mm) Overall Height:152(mm) Thread Size: OEM:BF7674-D
 Largest OD: 84(mm) Overall Height:114(mm) Thread Size: OEM:BF7675-D	 Largest OD: 84(mm) Overall Height:152(mm) Thread Size: OEM:BF7679-D
 Largest OD: 84(mm) Overall Height:133(mm) Thread Size: OEM:BF7681	 Largest OD: 108(mm) Overall Height:266(mm) Thread Size: M32X1.5 OEM:BF7814

USE FOR BALDWIN

 Largest OD: 118(mm) Overall Height:253(mm) Thread Size: 1 5/8-12 OEM:B495	 Largest OD: 108(mm) Overall Height:265(mm) Thread Size: 1 1/8-16 OEM:B76
 Largest OD: 108(mm) Overall Height:255(mm) Thread Size: 1 1/8-16 OEM:B7600	 Largest OD: 108(mm) Overall Height:255(mm) Thread Size: 1 3/8-16 OEM:B7685
 Largest OD: 136(mm) Overall Height:307(mm) Thread Size: 1 1/2-16 OEM:B99	 Largest OD: 118(mm) Overall Height:290(mm) Thread Size: 2 1/4-12 OEM:BD103
 Largest OD: 118(mm) Overall Height:299(mm) Thread Size: M95X2.5 OEM:B7154	

USE FOR LAND ROVER



Largest OD:
Overall Height:
Thread Size:

OEM:BH42-9C269-AB



Largest OD:
Overall Height:
Thread Size:

OEM:LR009705



Largest OD:
Overall Height:
Thread Size:

OEM:WJ1500030



Largest OD:
Overall Height:
Thread Size:

OEM:WJ1500040



Largest OD:
Overall Height:
Thread Size:

OEM:LR029098



Largest OD: 113(mm)
Overall Height:90(mm)
Thread Size:

OEM:7H32-9C269-AB



Largest OD: 110(mm)
Overall Height:100(mm)
Thread Size: M10X1.5

OEM:WJI500020



Largest OD: 80(mm)
Overall Height:166(mm)
Thread Size:

OEM:LR029098

BH429C296AB

AIR DRYER



Largest OD: 136(mm)
Overall Height:165(mm)
Thread Size:M39x1.5

HENGST:T250W
MANN:TB 1374X
FLEETGUARD:AF27817



Largest OD: 136(mm)
Overall Height: 178(mm)
Thread Size: R 1 1/4

HENGST:T300W
MANN:TB 1374/3X



Largest OD: 148(mm)
Overall Height: 168(mm)
Thread Size:

HENGST:T350W



Largest OD: 136(mm)
Overall Height:164(mm)
Thread Size: M39 x 1.5

OEM:20972915



Largest OD:
Overall Height:
Thread Size:


OEM:21412843



Largest OD: 140(mm)
Overall Height:178(mm)
Thread Size:

OEM:1774598

USE FOR MANN

 Largest OD: 94(mm) Overall Height:208(mm) Thread Size: 1-12 OEM:W962	 Largest OD: 76(mm) Overall Height:138(mm) Thread Size: 3/4-16 OEM:WD724/6
 Largest OD: 108(mm) Overall Height:237(mm) Thread Size: 1-14 OEM:PL270	 Largest OD: 115(mm) Overall Height:316(mm) Thread Size: Ø58 OEM:HU12140X
 Largest OD: 94(mm) Overall Height:214(mm) Thread Size: 1-12 OEM:WD962	 Largest OD: 108(mm) Overall Height:319(mm) Thread Size: 1-14 OEM:PL420
 Largest OD: 76(mm) Overall Height:54(mm) Thread Size: OEM:PU89	 Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:W11102
 Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 3/8"-16 OEM:WP11102	 Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:W11102/16
 Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:W11102/27	 Largest OD: 108(mm) Overall Height:260(mm) Thread Size: 1 1/8"-16 OEM:W11102/7

USE FOR MANN

 Largest OD: 108(mm) Overall Height:180(mm) Thread Size: 1-12 OEM:W1168/5	 Largest OD: 76(mm) Overall Height:79(mm) Thread Size: 3/4-16 OEM:W712/90
 Largest OD: 76(mm) Overall Height:79(mm) Thread Size: 3/4-16 OEM:W712/91	 Largest OD: 76(mm) Overall Height:123(mm) Thread Size: 3/4-16 OEM:W719/5
 Largest OD: 76(mm) Overall Height:119(mm) Thread Size: 3/4-16 OEM:W719/15	 Largest OD: 94(mm) Overall Height:69(mm) Thread Size: 3/4-16 OEM:W914/2
 Largest OD: 94(mm) Overall Height:95(mm) Thread Size: 3/4"-16 OEM:W920/21	 Largest OD: 94(mm) Overall Height:114(mm) Thread Size: 3/4"-16 OEM:W930/9
 Largest OD: 96(mm) Overall Height:137(mm) Thread Size:M20X1.5 OEM:W936/4	 Largest OD: 94(mm) Overall Height:142(mm) Thread Size:1-12 OEM:W940/18
 Largest OD: 94(mm) Overall Height:142(mm) Thread Size:1-12 OEM:W940/5	 Largest OD: 94(mm) Overall Height:170(mm) Thread Size: 1-12 OEM:W950/31

USE FOR MANN

 Largest OD: 77(mm) Overall Height:155(mm) Thread Size: M16X1.5 OEM:WDK725	 Largest OD: 94(mm) Overall Height:145(mm) Thread Size: M18X1.5 OEM:WDK999
 Largest OD: 94(mm) Overall Height:145(mm) Thread Size: M18X1.5 OEM:WDK999/1	 Largest OD: 108(mm) Overall Height:155(mm) Thread Size: 1-14 OEM:WK1060/1
 Largest OD: 136(mm) Overall Height:300(mm) Thread Size: M16X1.5 OEM:WDK13145	 Largest OD: 77(mm) Overall Height:123(mm) Thread Size: M16X1.5 OEM:WK723
 Largest OD: 82(mm) Overall Height:156(mm) Thread Size: M16X1.5 OEM:WK842/2	 Largest OD: 94(mm) Overall Height:140(mm) Thread Size: M16X1.5 OEM:WK940/5
 Largest OD: 108(mm) Overall Height:217(mm) Thread Size: 1-14 OEM:WK1080/7	 Largest OD: 94(mm) Overall Height:145(mm) Thread Size: 1-12 OEM:WK940/17
 Largest OD: 108(mm) Overall Height:260(mm) Thread Size:M32X1.5 OEM:WDK11102/4	

OTHER

 Largest OD: Overall Height: Thread Size: OEM:129907-55810	 Largest OD: Overall Height: Thread Size: OEM:FH30
 Largest OD: Overall Height: Thread Size: OEM:	 Largest OD: Overall Height: Thread Size: OEM:
 Largest OD: Overall Height: Thread Size: OEM:	 Largest OD: Overall Height: Thread Size: OEM:ME 328-21600
 Largest OD: Overall Height: Thread Size: OEM:751-10620	 Largest OD: Overall Height: Thread Size: OEM:751-18100
 Largest OD: Overall Height: Thread Size: OEM:5301-10	 Largest OD: Overall Height: Thread Size: OEM:15607-1732
 Largest OD: Overall Height: Thread Size: OEM: 31945-84040	 Largest OD: Overall Height: Thread Size: OEM:0611049

OTHER



Largest OD:
Overall Height:
Thread Size:
OEM:5T057-25510



Largest OD:
Overall Height:
Thread Size:
OEM:HH3A0-82623



Largest OD:
Overall Height:
Thread Size:
OEM:HH164-32430



Largest OD:
Overall Height:
Thread Size:
OEM:HHK70-14070



Largest OD:
Overall Height:
Thread Size:
OEM:HHTAO-59900



Largest OD:
Overall Height:
Thread Size:
OEM:129004-55801



Largest OD:
Overall Height:
Thread Size:
OEM:VG1540080110



Largest OD:
Overall Height:
Thread Size:
OEM:VG1540080211



Largest OD:
Overall Height:
Thread Size:
OEM:EFG 87



Largest OD:
Overall Height:
Thread Size:
OEM:SP630H



Largest OD:
Overall Height:
Thread Size:
OEM:ZP3134



Largest OD:
Overall Height:
Thread Size:
OEM:2439500

OTHER



Largest OD:
Overall Height:
Thread Size:
OEM:5010477855



Largest OD:
Overall Height:
Thread Size:
OEM:7420851191



Largest OD:
Overall Height:
Thread Size:
OEM:600FG



Largest OD:
Overall Height:
Thread Size:
OEM: use for 600FG



Largest OD:
Overall Height:
Thread Size:
OEM:837079727



Largest OD:
Overall Height:
Thread Size:
OEM:837079726



Largest OD: 98(mm)
Overall Height:114(mm)
Thread Size:
OEM:8-98037011-0
8-98162897-0



Largest OD: 93(mm)
Overall Height:143(mm)
Thread Size: M16X1.5
OEM:118 1245



Largest OD: 111(mm)
Overall Height:270(mm)
Thread Size: M12x1,5-6H
OEM:0211 3831



Largest OD: 111(mm)
Overall Height:186(mm)
Thread Size: 1-14 UNS
OEM:0450 4438



Largest OD: 92(mm)
Overall Height:176(mm)
Thread Size:
OEM:2786 0911 0106



Largest OD:
Overall Height:
Thread Size:
OEM:2786 0798 9916

OHTER

 Largest OD: Overall Height: Thread Size: OEM : 2786 0798 9967	 Largest OD: Overall Height: Thread Size: OEM : 2786 0911 9904
 Largest OD: Overall Height: Thread Size: OEM : 2786 1813 9902	 Largest OD: Overall Height: Thread Size: OEM : F 7A 015 00
 Largest OD: Overall Height: Thread Size: OEM : FHJ00700	 Largest OD: Overall Height: Thread Size: OEM : CS-150-M60-A
 Largest OD: Overall Height: Thread Size: OEM : 21939324	 Largest OD: Overall Height: Thread Size: OEM : K670-13-850
 Largest OD: Overall Height: Thread Size: OEM : KC 63/1	 Largest OD: Overall Height: Thread Size: OEM : FC-5602
 Largest OD: Overall Height: Thread Size: OEM : 3310 200 009	 Largest OD: Overall Height: Thread Size: OEM : 119005-35170

OTHER

 Largest OD: Overall Height: Thread Size: OEM:104.2175.104	 Largest OD: Overall Height: Thread Size: OEM:
 Largest OD: Overall Height: Thread Size: OEM:1105100-D01	 Largest OD: Overall Height: Thread Size: OEM:1105100-D02
 Largest OD: Overall Height: Thread Size: OEM:PSD460-1	 Largest OD: Overall Height: Thread Size: OEM:ME 088532
 Largest OD: Overall Height: Thread Size: OEM:V836867595	 Largest OD: Overall Height: Thread Size: OEM:V836862602
 Largest OD: Overall Height: Thread Size: OEM:V836867591	 Largest OD: Overall Height: Thread Size: OEM:6223 537 M1
 Largest OD: Overall Height: Thread Size: OEM: 1447048M2	 Largest OD: Overall Height: Thread Size: OEM:034 391-T1

 Largest OD: 94(mm) Overall Height:211(mm) Thread Size:1-12 UNF-2B OEM : 50 00 670 670	 Largest OD: 110(mm) Overall Height:261(mm) Thread Size:1 1/8-16 UN-2B OEM : 50 10 550 600
 Largest OD: 110(mm) Overall Height:219(mm) Thread Size:1-14 UNS-2B OEM : 74 20 754 418	 Largest OD: Overall Height: Thread Size: OEM : 500067071
 Largest OD: Overall Height: Thread Size: OEM : 5010477855	 Largest OD: Overall Height: Thread Size: OEM : CAV296
 Largest OD: Overall Height: Thread Size: OEM : 1909100-1	 Largest OD:94(mm) Overall Height:176(mm) Thread Size: 1-16 UN-2B OEM : 11E1-70140
 Largest OD: 79(mm) Overall Height:120(mm) Thread Size:M16X1.5 OEM : 0118 0597	 Largest OD: 93(mm) Overall Height:210(mm) Thread Size:1-12 UNF OEM : 0118 3574
 Largest OD: 94(mm) Overall Height:210(mm) Thread Size:1-12 UNF-2B OEM : 117 4421	 Largest OD: 76(mm) Overall Height:125(mm) Thread Size:M16 X 1.5-6H INT OEM : 117 4423

QUALITY

以质量求生存，以科技求发展
COMPETITIVENESS LIES IN
SUPERIOR QUALITY AND
CONSISTENT TECHNOLOGY
IMPROVEMENT